



ProneView[®]


Protective Helmet System



Adjustable Protective Helmet System Features

A. Adjustable Knobs

- Four large knobs attached to the helmet offer easier adjustments once the patient has been rotated onto the surgical table
- Easier alignment on to the mirror platform
- Larger range of height adjustment for better neutrality of the neck



B. Mirror Base

- Easily aligns with the pegs located on the base of the Adjustable Protective Helmet
- Allows for continuous eye monitoring during procedure
- Fast and easy clean up, with nothing attached to the surface


C. Disposable Face Cushions

- Specifically designed to fit into the ProneView helmet
- The soft cushions contour to the anatomy of the face providing excellent pressure equalization
- Large eye openings assure no pressure on the orbits
- Available in two sizes



A Proven System of Adjustable Stability

- Ranked best in clinical testing¹
- Superior eye visualization from 3 directions
- Advanced anatomical fit
- Optimum pressure distribution
- Easy neutral neck positioning
- Aids Anesthesiology safety checks
- Easily cleaned with standard disinfectants
- Contoured cushion inserts improve stability
- Designed to meet AORN perioperative standards and recommended practices as well as ASA practice advisories




Quick and Easy Adjustments



Offers a 1.65" (4.19 cm) range of elevation for easier patient positioning



Independent adjustability for improved neutrality of the patients neck





B



D



C

Superior Protection and Versatility

Best record for patient eye safety over 3 million surgical cases
with no reported pressure related blindness²

A. ProneView Adjustable Helmet System
D28510CE

B. ProneView Protective Helmet with
ProneView Adjustable Mirror Platform
D28501CE and D28590CE included with
purchase of the Wilson Frame

C. ProneView Adjustable Protective Helmet
D28502CE

D. ProneView Protective Helmet on Spinal Surgery Top
D28705CE



3 Million
Safe Clinical Uses

Patient Positioning Made Easier

The **ProneView®** Protective Helmet System consists of a sturdy protective helmet, reflective mirror base and a soft cushion insert. Together the ProneView Protective Helmet System provides a safe and effective platform for prone positioning.

ProneView can be used on any general surgical table or on the Mizuho OSI Spine Surgery Top. ProneView meets AORN guidelines and recommended practices, and the American Society of Anesthesiologist's Practice Advisory for safe prone positioning.



Ordering Information



Spinal Surgery Systems

REF	
D28705CE	ProneView Spinal Surgery Top Platform, Protective Helmet and Fastening Rod
D28700CE	ProneView Spinal Surgery Top Platform and Fastening Rod
D28510CE	ProneView Adjustable Helmet System. Contains: Adjustable Helmet and Mirror Platform with Post Holes
M28732	Fastening Rod



Mirrors

REF	
D28590CE	ProneView Adjustable Mirror
D28520CE	ProneView Low Profile Mirror Platform
D28580CE	ProneView Mirror Platform with Post Holes



Protective Helmets

REF	
D28501CE	ProneView Protective Helmet
D28502CE	ProneView Adjustable Protective Helmet



Cushion Inserts

REF	
D28503CE	ProneView Large Cushion Inserts (10/cs)
D28507CE	ProneView Small Cushion Inserts (10/cs)

References

1. Face tissue Pressure in Prone Positioning SPINE Volume 33, Number 26, pp 2938-2941 (c) 2008
2. Sales Data on file. FDA MAUDE available online



30031 Ahern Avenue
Union City, CA 94587-1234 USA
Telephone: 510-429-1500
Toll Free: 800-777-4674
Fax: 510-429-8500
Outside USA: +1-510-429-1500
mizuhoosi.com
newhipnews.com



Dupaco, Inc.
4144 Avenida de la Plata
Oceanside, CA 92056
Tel: (760) 758-4550
Int: 001-760-758-4550

Patent Numbers: US6112333, US7426763, US6490737

Note: Mizuho OSI is constantly improving its products. All specifications are subject to change without notice. • ProneView® is a registered trademark of Dupaco, Inc. • Mizuho OSI is the exclusive worldwide distributor of the ProneView® Protective Helmet System. Mizuho OSI is a Delaware Corporation. Manufactured in the USA.

2016 ©Mizuho OSI

REF NW0597 REV C